




Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A liquid crystal alignment agent used in a method for alignment of liquid crystal molecules which that form the a liquid crystal alignment film comprising irradiating of a thin alignment film formed on a over the substrate where irradiation of with light or electron rays and aligning the liquid crystal molecules on the substrate without any rubbing treatment, and said liquid crystal alignment agent comprising of a polymer compound having bonds comprising a structure shown in selected from the group consisting of the general formula (1) – (7) below







wherein,

_____ R¹, R² and R³ are independently of each other hydrogen, alkyl, substituted alkyl, aryl or propargyl;

_____ in the polymer compound main chain of polymer compound with has a number-average molecular weight of 1,000 – 300,000; and

_____ said ~~bond structure~~ makes the a direct bond with either a divalent or trivalent aromatic group at the both ends of said ~~bond~~ or with a divalent or trivalent aromatic group ~~making the~~ direct bond at one end of said ~~bond~~ while at the other forming the direct bond with and a divalent or trivalent alicyclic hydrocarbon group at the other end.



2. (Currently Amended) The Liquid crystal alignment agent according to Claim 1, wherein the main chain or a side chain of the polymer ~~having~~ have no functional groups shown in the general formula (8) – (17) below



wherein R^4 , R^5 , R^6 , R^7 , R^8 and R^9 are independently of each other hydrogen, halogen, alkyl, substituted alkyl, substituted alkoxy, carboxyl, alkoxycarbonyl or a cyano group as a substituent group ~~which that~~ may lead to a dimerization reaction or an isomerization reaction by the irradiation with light or electron rays.

3. (Currently Amended) The Liquid crystal alignment agent according to Claim 1, wherein said polymer is polyamide.



4. (Currently Amended) The Liquid crystal alignment agent according to Claim 3, wherein said polymer compound is polyamide having ~~the~~a repeating unit comprising of ~~the~~a general formula (18) or of ~~the~~a general formula (19a) and (19b) below



wherein,

_____R¹⁰, R¹¹, R¹² and R¹³ are divalent organic radicals in the general formula

(20) – (23)



wherein,

_____X¹, X², X³, X⁴, X⁵ and X⁶ are independently of each other single bond, O, CO₂, OCO, CH₂O, NHCO or CONH;

_____R¹⁴, R¹⁵, R¹⁶, R¹⁷, R¹⁸ and R¹⁹ are independently of each other hydrogen, halogen, C₁-C₂₄ alkyl, C₁-C₂₄ alkyl containing fluorine, aryl, propargyl, phenyl or substituted phenyl;




_____ Y^1 is O, S, CO, CO₂, SO₂, CH₂, NH, NHCO, Y^2 -Ar¹-Y³, Y^4 -(CH₂)^{n¹}-Y⁵ or Y^6 -Ar²-R²⁰-Ar³-Y⁷;

_____ Y^2 , Y^3 , Y^4 , Y^5 , Y^6 and Y^7 are independently of each other O, S, CO, CO₂, SO₂, CH₂, NH or NHCO;

_____ n^1 is an integer of 1-10;

_____ R²⁰ is C₁-C₅ straight or branched lower alkylene, fluoroalkylene or alkylenedioxy;
and further-

_____ Ar¹, Ar² and Ar³ are independently of each other divalent organic radical in general formula (24), (25) or (26) below



wherein,

_____ X^7 , X^8 , X^9 , X^{10} and X^{11} are independently of each other single bond, O, CO₂, OCO, CH₂O, NHCO or CONH;


_____ R²¹, R²², R²³, R²⁴ and R²⁵ are independently of each other hydrogen, halogen, C₁-C₂₄ alkyl, C₁-C₂₄ alkyl containing fluorine, aryl, propargyl, phenyl or substituted phenyl;

_____ m^1 is an integer of 1 - 4; and m^2 is an integer of 1 - 3;

_____ with the proviso that when R¹⁴, R¹⁵, R¹⁶, R¹⁷, R¹⁸, R¹⁹, R²¹, R²², R²³, R²⁴ and R²⁵ are either hydrogen or halogen, then X^1 , X^2 , X^3 , X^4 , X^5 , X^6 , X^7 , X^8 , X^9 , X^{10} and X^{11} are single bond; and



____ R^{a1} , R^{a2} , R^{a3} and R^{a4} are independently of each other hydrogen, alkyl, substituted alkyl, aryl or propargyl.

5. (Currently Amended) A Liquid crystal alignment agent according to Claim 34, wherein R^{10} or R^{11} in the general formula (18) ~~above~~ or R^{12} and R^{13} in the general formula (19a) and (19b) are independently of each other a radical selected from the formula (27) – (41) below



6. (Currently Amended) A Liquid crystal alignment agent according to Claim 1, wherein said polymer compound is a polyimide precursor or a polyimide obtained by chemical or heat imidization of said polyimide precursor.

7. (Currently Amended) A Liquid crystal alignment agent according to Claim 6, wherein said polymer compound is a polyimide precursor or polyimide obtained by chemical or heat imidization of said polyimide precursor, with the repeating unit comprising of the general formula (42a) and (42b) below





wherein,





_____ R^{26} is a tetravalent organic radical;

_____ $\text{R}^{26'}$ is a trivalent organic radical; and

_____ R^{27} is a divalent organic radical containing an amide radical bonded with a divalent or trivalent aromatic or alicyclic hydrocarbon group.

8. (Currently Amended) A Liquid crystal alignment agent according to Claim 67, wherein R^{27} in the general formula (42a) and (42b) above is selected from the general formula (43) – (48) below





wherein,

_____ $X^{12} - X^{30}$ are independently of each other single bond, O, CO_2 , OCO or CH_2O ;

_____ $R^{28} - R^{46}$ are independently of each other hydrogen, halogen, C_1-C_{24} alkyl, C_1-C_{24} alkyl containing fluorine, aryl, propargyl, phenyl or substituted phenyl;









_____ $R^{a5} - R^{a15}$ are independently of each other hydrogen, alkyl, substituted alkyl, aryl or propargyl;

_____ Y^8 and Y^9 are O, S, SO_2 , CH_2 , NH, NHCO or $CONH_2$; and

_____ m^1 is an integer of 1 - 4;

with the proviso that when $R^{28} - R^{46}$ are hydrogen or halogen, then $X^{12} - X^{30}$ are single bond.


9. (Currently Amended) A liquid crystal alignment agent according to Claim 67, wherein the radical for R^{27} in the general formula (42a) and (42b) above is selected from the formula (49) - (56) below




wherein, R^{47} is halogen, $\text{C}_1\text{-C}_{24}$ alkyl, $\text{C}_1\text{-C}_{24}$ alkoxy or $\text{C}_1\text{-C}_{24}$ alkoxycarbonyl.

10. (Currently Amended) A liquid crystal alignment agent according to Claim 1, wherein said polymer compound is polyurethane.

11. (Currently Amended) A liquid crystal alignment agent according to Claim 10, wherein said polymer compound is polyurethane having the a repeating unit comprising of the general formula (57) below




wherein, R^{48} and R^{49} are independently of each other selected from the radicals shown in the formula (58) - (69) below



wherein, R^{a16} and R^{a17} are independently of each other hydrogen, alkyl, substituted alkyl, aryl or propargyl.

12. (Currently Amended) A Liquid crystal alignment agent according to Claim 1, wherein said polymer compound is polyurea.

13. (Currently Amended) A Liquid crystal alignment agent according to Claim 12, wherein said polymer compound is polyurea having the a repeating unit of the general formula (70) below



wherein,

_____ R^{50} and R^{51} are independently of each other selected from formula (58) - (69) above;

and

_____R^{a18} - R^{a21} are independently of each other hydrogen alkyl, substituted alkyl, aryl or propargyl.

14. (Currently Amended) ~~A Liquid crystal device by the use of~~ using the liquid crystal alignment agent according to Claim 1.

15. (Currently Amended) ~~A liquid crystal Alignment method of liquid crystals-~~ characterized by the use of the liquid crystal alignment agent according to Claim 1, wherein light or electron rays ~~being~~ are irradiated over the ~~a~~ thin polymer film formed on the ~~a~~ surface of the ~~a~~ substrate, and achieving liquid crystal alignment without rubbing action.